

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6448621	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:35
L2	6448699	L1 726/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:35
L3	6448621	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:36
L4	70	L3 and (client terminal device) with compar\$5 same add\$3 near2 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:36
L5	6448621	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:36
L6	30	L5 and ((authorized allowed (access adj control)) adj list) with (clear\$2 delet\$3) and ("726"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:36
L7	6448621	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:36
L8	14	L7 and authorized near2 (list) and unauthorized near2 list same add\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/06/22 09:36
S2	6396285	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/19 15:43

EAST Search History

S3	15	S2 and client with server with authenticat\$5 and client with location near3 compar\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 09:42
S4	4	S2 and (boot adj up boot-up power adj (up on)) same authenticat\$5 with (device client) with location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/19 15:52
S5	97	S2 and (boot adj up boot-up power adj (up on)) same authenticat\$5 with (device client)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/19 15:53
S6	0	S5 and timestamp	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/19 15:52
S7	7	S2 and (boot adj up boot-up power adj (up on)) same authenticat\$5 with (device client) with network	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:23
S8	6396285	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:23
S9	1	S8 and compar\$5 near2 (time timestamp) with list near2 authorized	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:26
S10	1	S8 and list near2 authorized near2 devices with sender	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:27
S11	17	S8 and add\$3 near4 list near2 authorized near4 (device sender server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:31
S12	11	S8 and unauthorized near2 list and list near2 authorized near4 (device sender server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:43

EAST Search History

S13	6	S8 and unauthorized near2 list and list near2 authorized near4 (device server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:54
S14	11	S8 and (identifier id) near6 list near3 authorized near4 (device server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:47
S15	1	"20050005150"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:47
S16	3	S8 and unauthorized near2 (listing directory registry) and (listing directory registry) near2 authorized near4 (device server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:57
S17	0	S8 and client with compar\$5 same add\$3 near2 authoriz\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 11:58
S18	2	S8 and (client terminal device) with compar\$5 same add\$3 near2 authoriz\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 12:24
S19	67	S8 and (client terminal device) with compar\$5 same add\$3 near2 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 12:50
S20	39	S8 and (client terminal device) with compar\$5 same add\$3 near2 list with (server remote device)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 12:55
S21	7	S8 and unauthoriz\$5 near2 (server sender remote) near2 (index list)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 13:46
S22	0	S8 and client with automatic\$5 near2 deny near4 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 13:47

EAST Search History

S23	0	S8 and client with automatic\$5 near2 (denies deny) near4 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 13:47
S24	1	S8 and client with automatic\$5 near2 (denie\$2 deny) near4 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/20 13:48
S25	46	S8 and client with (acl access adj control adj list) and add\$3 near3 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 13:15
S26	6396285	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 13:16
S27	1	S26 and client with ((authorized allowed) adj list) and blocked adj list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 13:16
S28	1	S26 and client with ((authorized allowed) adj list) and (blocked unauthorized) adj list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 15:56
S29	6396285	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 15:56
S30	4	S29 and client with ((authorized allowed) adj list) and clear\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 15:58
S31	92	S29 and ((authorized allowed (access adj control)) adj list) with (clear\$2 delet\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:01
S32	28	S29 and ((authorized allowed (access adj control)) adj list) with (clear\$2 delet\$3) and ("726"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "380"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:29

EAST Search History

S33	3707	S29 and bluetooth and clear\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:24
S34	66	S29 and bluetooth and clear\$3 with list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:28
S35	249	S29 and clear\$3 near3 authorized	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:29
S36	137	S29 and clear\$3 near3 authorized and ("726"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:29
S37	27	S29 and (cleared clears!) near3 authorized and ("726"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:52
S38	235	S29 and (cleared clears! empt\$4 remov\$5) near3 authorized and ("726"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:53
S39	18	S29 and (cleared clears! empt\$4 remov\$5) near3 authorized with (list) and ("726"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/23 16:53
S40	6397581	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 09:42
S41	99	S40 and client with server with authenticat\$5 with location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 09:44
S42	361	726/24.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:29

EAST Search History

S43	257	S42 and S40	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:31
S44	1635	713/150,151,152,153.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:32
S45	1268	S44 and S40	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:31
S46	59	S45 and client near4 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:31
S47	22	S45 and boot adj up	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:31
S48	61	S45 and restart	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:31
S49	5105	709/225,229.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:32
S50	4184	S49 and S40	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:32
S51	1	S50 and S47	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:32
S52	2	S50 and S48	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:32

EAST Search History

S53	88	S50 and S44	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/10/24 10:32
S54	2	"20040003079" "6832321".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/22 14:35
S55	2	"20020177449" ("5,243,652").pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/28 15:30
S56	6436150	@ad<"20030626"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/29 06:28
S57	10	S56 and history same data adj structure same timestamp	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/29 06:47
S58	71	S56 and authorized near2 (list) and unauthorized near2 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/29 06:53
S59	14	S56 and authorized near2 (list) and unauthorized near2 list same add\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/29 07:07
S60	0	S56 and authorized near2 (list) and unauthorized near2 list same add\$3 same compar\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/29 07:07
S61	3	S56 and authorized near2 (list) same add\$3 same compar\$5 and unauthorized near2 list	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/29 07:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	613985	@ad<"20030626"	US-PGPUB	OR	ON	2007/06/22 09:40
L2	112	(packet and (match\$3 compar\$3) and history).clm.	US-PGPUB	OR	ON	2007/06/22 09:41
L3	281189	(packet and (match\$3 compar\$3) and history signal).clm.	US-PGPUB	OR	ON	2007/06/22 09:41
L4	77020	(packet and (match\$3 compar\$3) and history (id identifier)).clm.	US-PGPUB	OR	ON	2007/06/22 09:41
L5	26	(packet and (match\$3 compar\$3) and history and (id identifier)).clm.	US-PGPUB	OR	ON	2007/06/22 09:41
L6	16	(packet and (match\$3 compar\$3) and history and (authoriz\$5)).clm.	US-PGPUB	OR	ON	2007/06/22 09:41
L7	2	(timestamp and (match\$3 compar\$3) and history and (authoriz\$5)).clm.	US-PGPUB	OR	ON	2007/06/22 09:42
L8	115	(location and (match\$3 compar\$3) and history and (authoriz\$5)).clm.	US-PGPUB	OR	ON	2007/06/22 09:42